


AMENDMENTS TO THE CLAIMS

1. (currently amended) A compound of formula (I),



(I)

or a pharmaceutically acceptable derivative salt thereof, wherein:

X represents is NR or O^- ;

R represents is hydrogen, C_{1-8} alkyl or $\text{SO}_2[\text{C}_{1-8}$ alkyl];

W represents is N or CH ;

Y and Y' are each independently represent hydrogen, halogen, OH, CF_3 , OCF_3 , CN, NH_2 , C_{1-8} alkyl, C_{1-8} alkyloxy or C_{3-8} cycloalkyl;

Ring A represents a heterocyclic is a piperidine ring containing at least one nitrogen atom;

Z represents is a direct link bond, C_{1-8} alkyl or C_{3-8} cycloalkyl;

R^1 represents is R^2 , OR^2 , $\text{OR}^3\text{-R}^4$, $\text{N}(\text{R}^2)[\text{C}_{1-8}$ alkylene] R^4 ; NCOR^2 , or SR^4 ;

R^2 and R^4 are each independently represent hydrogen, C_{3-8} cycloalkyl, CF_3 , Ar or Het;

R^3 represents is a direct link bond or C_{1-8} alkyl;

a is 0 or 1;

Ar represents is an aromatic ring, optionally fused to a heterocyclic ring, and/or wherein said Ar is optionally substituted with one or more groups as described below to three groups independently selected from halogen, C_{1-8} alkyl, C_{1-8} alkyloxy, $\text{S}[\text{C}_{1-8}$ alkyl], CN, CF_3 , NH_2 and OH;

Het represents is a heterocyclic ring optionally substituted with one or more groups as described below, and/or optionally fused to an aromatic ring, wherein said Het which is optionally substituted with one or more to three groups as described below independently selected from halogen, C_{1-8} alkyl, C_{1-8} alkyloxy, $\text{S}[\text{C}_{1-8}$ alkyl], CN, CF_3 , NH_2 and OH; and

at each occurrence C_{1-8} alkyl, C_{1-8} alkylene and C_{3-8} cycloalkyl may be independently optionally substituted with one or more to three groups as described below;

substituent groups for Ar, Het, C_{1-8} alkyl, C_{1-8} alkylene and C_{3-8} cycloalkyl referred to above are independently selected from ~~hydrogen~~, halogen, C_{1-8} alkyl, C_{1-8} alkyloxy, $\text{S}[\text{C}_{1-8}$ alkyl], CN, CF_3 , NH_2 and OH.

2. (currently amended) A The compound according to claim 1 or a pharmaceutically acceptable salt thereof, wherein ~~X~~ represents NR and ~~R~~ represents Me R is methyl.

3. (currently amended) A The compound according to claim 1 or claim 2, or a pharmaceutically acceptable salt thereof wherein Y is chloro and Y' is hydrogen ~~W represents N~~.

4. (currently amended) A The compound according to any one of claims 1 to 3, or a pharmaceutically acceptable salt thereof wherein R¹ is a group selected from phenyl, indolyl, pyridyl, pyrazolyl, benzofuranyl, benzoimidazolyl, benzooxadiazolyl, phenoxy, piperidinyl, tetrahydrofuranyl, cyclopropyl, cyclopentyl, cyclohexyl, isopropyl or butyl, wherein said R¹ group is optionally substituted with one to three groups independently selected from halogen, C₁₋₈alkyl, C₁₋₈alkyloxy, S[C₁₋₈alkyl], CN, CF₃, NH₂ and OH ~~Ring A represents piperidinyl~~.

5. (currently amended) A The compound according to any one of claims 1 to 4, or a pharmaceutically acceptable salt thereof wherein Z is a direct ~~link~~ bond.

6. (currently amended) A compound ~~according to claim 1~~, selected from

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(1H-indol-3-yl)-methanone;

1-[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e] azulen-1-yl)-piperidin-1-yl]-2-o-tolyl-ethanone;

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(1-methyl-cyclohexyl)-methanone;

1-[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e] azulen-1-yl)-piperidin-1-yl]-2-cyclopropyl-ethanone;

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(1H-indol-2-yl)-methanone;

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(2-hydroxy-5-methyl-phenyl)-methanone;

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(1H-indol-6-yl)-methanone;

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(3-methoxy-phenyl)-methanone;

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(3-fluoro-phenyl)-methanone;

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(4-fluoro-phenyl)-methanone;

1-[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-butan-1-one; and

[4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-cyclopropyl-methanone; and or a

pharmaceutically acceptable ~~derivatives~~ salt thereof.

7. ~~The use of a compound according to any of claims 1 to 6 as a medicament~~ [4-(8-Chloro-5-methyl-5,6-dihydro-4H-2,3,5,10b-tetraaza-benzo[e]azulen-1-yl)-piperidin-1-yl]-(1H-indol-3-yl)-methanone or a pharmaceutically acceptable salt thereof.

8. A method of treating ~~treatment of anxiety, cardiovascular disease (including angina, atherosclerosis, hypertension, heart failure, edema, hypernatremia), dysmenorrhoea (primary and secondary), primary dysmenorrhea, secondary dysmenorrhea, endometriosis, emesis (including motion sickness), intrauterine growth retardation, inflammation (including rheumatoid arthritis), mittelschmerz, preeclampsia, premature ejaculation, premature (preterm) or preterm labor or Raynaud's disease,~~ comprising administering a therapeutically effective amount of a compound according to any one of claims 1 to 6 to a patient suffering from such a disorder in need of treatment thereof.

9. (currently amended) A The method according to claim 7 ~~8~~ wherein ~~the disorder is dysmenorrhoea (primary or secondary)~~ primary dysmenorrhea or secondary dysmenorrhea is treated.

10. (currently amended) A The method according to claim 9 wherein ~~the disorder is primary dysmenorrhoea~~ dysmenorrhea is treated.

11. (currently amended) ~~The use of a compound according to any of claims 1 to 6 in the manufacture of a medicament for the treatment of anxiety, cardiovascular disease (including angina, atherosclerosis, hypertension, heart failure, edema, hypernatremia), dysmenorrhoea (primary and secondary), endometriosis, emesis (including motion sickness), intrauterine growth retardation, inflammation (including rheumatoid arthritis), mittelschmerz, preeclampsia,~~ method according to claim 8 wherein premature ejaculation, premature (preterm) labor or Raynaud's disease is treated.

12. (currently amended) ~~Use The method according to claim 11~~ 8 wherein ~~the disorder is dysmenorrhoea (primary or secondary)~~ preterm labor is treated.

13. (canceled)

14. (currently amended) A pharmaceutical ~~formulation including~~ composition comprising a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable ~~derivative salt~~ thereof, together with a pharmaceutically acceptable ~~excipients, excipient,~~ diluent or ~~carrier; carrier.~~

15. (canceled)